





# Aluminum Tube Stock List



## 2024 T4 Aluminum round pipe tube



Specs: ASTM B210,ASTM B221,EN755,AMS-QQ-A-200/3,AMS-T-700/3

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
0.394	0.039	236.220	0.053	0.079	10	1	6000
0.472	0.079	236.220	0.118	0.175	12	2	6000
0.630	0.059	236.220	0.128	0.190	16	2	6000
0.630	0.079	236.220	0.165	0.245	16	2	6000
0.709	0.079	236.220	0.188	0.279	18	2	6000
0.787	0.197	236.220	0.441	0.655	20	5	6000
0.787	0.157	236.220	0.376	0.559	20	4	6000
0.866	0.157	118.110	0.423	0.629	22	4	3000
0.866	0.236	236.220	0.564	0.838	22	6	6000
0.945	0.197	236.220	0.558	0.830	24	5	6000
1.024	0.197	236.220	0.617	0.917	26	5	6000
1.102	0.236	236.220	0.776	1.153	28	6	6000
1.102	0.276	236.220	0.864	1.284	28	7	6000
1.181	0.197	236.220	0.735	1.092	30	5	6000
1.181	0.098	236.220	0.404	0.600	30	3	6000
1.220	0.236	236.220	0.882	1.310	31	6	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
1.260	0.236	236.220	0.917	1.362	32	6	6000
1.260	0.197	236.220	0.794	1.179	32	5	6000
1.339	0.236	236.220	0.988	1.467	34	6	6000
1.378	0.197	236.220	0.882	1.310	35	5	6000
1.417	0.394	122.047	1.528	2.271	36	10	3100
1.417	0.315	236.220	1.317	1.956	36	8	6000
1.496	0.197	236.220	0.970	1.441	38	5	6000
1.496	0.276	236.220	1.276	1.895	38	7	6000
1.496	0.354	236.220	1.534	2.279	38	9	6000
1.575	0.197	236.220	1.029	1.528	40	5	6000
1.654	0.394	236.220	1.881	2.795	42	10	6000
1.772	0.197	236.220	1.176	1.747	45	5	6000
1.811	0.394	236.220	2.116	3.144	46	10	6000
1.890	0.236	236.220	1.481	2.201	48	6	6000
1.890	0.354	236.220	2.063	3.066	48	9	6000
1.890	0.472	236.220	2.539	3.773	48	12	6000
1.969	0.197	110.236	1.323	1.965	50	5	2800
1.969	0.394	125.984	2.351	3.493	50	10	3200
1.969	0.197	236.220	1.323	1.965	50	5	6000
1.969	0.276	236.220	1.769	2.629	50	7	6000
1.969	0.315	236.220	1.975	2.934	50	8	6000
1.969	0.512	236.220	2.828	4.201	50	13	6000
1.969	0.079	236.220	0.564	0.838	50	2	6000
1.969	0.236	236.220	1.552	2.306	50	6	6000
2.047	0.118	236.220	0.864	1.284	52	3	6000
2.047	0.236	236.220	1.622	2.410	52	6	6000
2.165	0.315	236.220	2.210	3.284	55	8	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
2.165	0.591	236.220	3.527	5.240	55	15	6000
2.244	0.236	236.220	1.799	2.672	57	6	6000
2.283	0.394	236.220	2.822	4.192	58	10	6000
2.283	0.354	236.220	2.592	3.852	58	9	6000
2.362	0.394	62.992	2.939	4.367	60	10	1600
2.362	0.787	98.425	4.703	6.987	60	20	2500
2.362	0.236	236.220	1.905	2.830	60	6	6000
2.362	0.315	236.220	2.445	3.633	60	8	6000
2.382	0.248	236.220	2.007	2.982	61	6	6000
2.441	0.492	236.220	3.637	5.404	62	13	6000
2.559	0.118	137.795	1.093	1.624	65	3	3500
2.559	0.394	236.220	3.233	4.803	65	10	6000
2.559	0.492	236.220	3.858	5.731	65	13	6000
2.677	0.551	236.220	4.444	6.603	68	14	6000
2.756	0.394	118.110	3.527	5.240	70	10	3000
2.756	0.591	118.110	4.850	7.205	70	15	3000
2.874	0.453	236.220	4.158	6.177	73	12	6000
2.874	0.433	236.220	4.009	5.956	73	11	6000
2.953	0.295	236.220	2.976	4.421	75	8	6000
2.953	0.394	236.220	3.821	5.677	75	10	6000
2.953	0.689	236.220	5.915	8.788	75	18	6000
2.953	0.591	236.220	5.291	7.860	75	15	6000
2.953	0.866	236.220	6.854	10.183	75	22	6000
3.150	0.394	118.110	4.115	6.114	80	10	3000
3.150	0.276	236.220	3.004	4.463	80	7	6000
3.150	0.394	236.220	4.115	6.114	80	10	6000
3.150	0.591	236.220	5.731	8.515	80	15	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
3.150	0.315	236.220	3.386	5.031	80	8	6000
3.346	0.472	236.220	5.150	7.651	85	12	6000
3.346	0.886	236.220	8.267	12.282	85	23	6000
3.543	0.394	78.740	4.703	6.987	90	10	2000
3.543	0.591	78.740	6.613	9.825	90	15	2000
3.543	0.787	236.220	8.230	12.227	90	20	6000
3.740	0.512	236.220	6.266	9.310	95	13	6000
3.937	0.787	118.110	9.405	13.974	100	20	3000
3.937	1.181	137.795	12.345	18.341	100	30	3500
3.937	0.787	236.220	9.405	13.974	100	20	6000
3.937	0.394	236.220	5.291	7.860	100	10	6000
4.331	0.394	118.110	5.878	8.734	110	10	3000
4.331	0.787	118.110	10.581	15.721	110	20	3000
4.331	0.984	168.898	12.492	18.559	110	25	4290
4.331	1.181	110.236	14.108	20.961	110	30	2800
4.724	0.787	181.102	11.757	17.467	120	20	4600
4.724	1.181	122.047	15.872	23.581	120	30	3100
4.724	0.394	236.220	6.466	9.607	120	10	6000
4.724	1.181	236.220	15.872	23.581	120	30	6000
4.724	0.787	236.220	11.757	17.467	120	20	6000
4.921	0.394	236.220	6.760	10.044	125	10	6000
5.118	0.394	102.362	7.054	10.480	130	10	2600
5.118	0.591	110.236	10.140	15.066	130	15	2800
5.118	0.787	146.850	12.933	19.214	130	20	3730
5.118	0.787	236.220	12.933	19.214	130	20	6000
5.315	0.787	118.110	13.520	20.087	135	20	3000
5.512	0.394	118.110	7.642	11.354	140	10	3000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
5.512	1.181	137.795	19.399	28.821	140	30	3500
5.512	1.575	137.795	23.514	34.935	140	40	3500
5.512	0.295	236.220	5.842	8.679	140	8	6000
5.906	0.394	118.110	8.230	12.227	150	10	3000
5.906	0.787	118.110	15.284	22.707	150	20	3000
5.906	1.181	196.850	21.162	31.441	150	30	5000
5.906	1.969	98.425	29.392	43.668	150	50	2500
5.906	0.787	236.220	15.284	22.707	150	20	6000
5.906	0.472	236.220	9.735	14.463	150	12	6000
6.299	0.394	118.110	8.818	13.100	160	10	3000
6.299	1.969	98.425	32.331	48.035	160	50	2500
6.299	2.362	90.551	35.271	52.402	160	60	2300
6.299	0.591	236.220	12.786	18.996	160	15	6000
6.299	0.787	236.220	16.460	24.454	160	20	6000
6.496	0.709	236.220	15.554	23.109	165	18	6000
6.693	0.394	118.110	9.405	13.974	170	10	3000
6.693	0.787	125.984	17.635	26.201	170	20	3200
6.693	1.575	141.732	30.568	45.415	170	40	3600
6.693	1.969	74.803	35.271	52.402	170	50	1900
6.693	2.362	78.740	38.798	57.642	170	60	2000
6.693	0.787	236.220	17.635	26.201	170	20	6000
6.890	0.394	118.110	9.699	14.410	175	10	3000
7.087	0.394	118.110	9.993	14.847	180	10	3000
7.087	0.787	118.110	18.811	27.948	180	20	3000
7.087	1.181	78.740	26.453	39.301	180	30	2000
7.087	1.575	125.984	32.919	48.908	180	40	3200
7.087	1.969	90.551	38.210	56.769	180	50	2300

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
7.087	0.591	236.220	14.549	21.616	180	15	6000
7.480	0.394	118.110	10.581	15.721	190	10	3000
7.480	0.787	125.984	19.987	29.694	190	20	3200
7.480	2.362	78.740	45.852	68.122	190	60	2000
7.480	1.181	236.220	28.216	41.921	190	30	6000
7.480	1.575	236.220	35.271	52.402	190	40	6000
7.480	1.969	236.220	41.149	61.135	190	50	6000
7.480	0.787	236.220	19.987	29.694	190	20	6000
7.638	0.669	236.220	17.688	26.279	194	17	6000
7.874	0.394	118.110	11.169	16.594	200	10	3000
7.874	0.787	118.110	21.162	31.441	200	20	3000
7.874	1.969	102.362	44.088	65.502	200	50	2600
7.874	2.362	118.110	49.379	73.362	200	60	3000
8.268	1.969	62.992	47.027	69.869	210	50	1600
8.268	2.362	74.803	52.906	78.603	210	60	1900
8.268	2.756	59.055	57.609	85.590	210	70	1500
8.268	1.772	236.220	43.647	64.847	210	45	6000
8.346	1.063	236.220	29.363	43.624	212	27	6000
8.661	0.787	118.110	23.514	34.935	220	20	3000
8.661	1.969	90.551	49.967	74.236	220	50	2300
8.661	2.362	55.118	56.433	83.843	220	60	1400
8.661	2.756	70.866	61.724	91.703	220	70	1800
8.661	1.575	98.425	42.325	62.882	220	40	2500
9.055	1.772	118.110	48.938	72.707	230	45	3000
9.055	1.969	78.740	52.906	78.603	230	50	2000
9.055	2.362	70.866	59.960	89.083	230	60	1800
9.055	2.756	62.992	65.838	97.817	230	70	1600

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
9.055	0.787	118.110	24.689	36.681	230	20	3000
9.055	1.181	86.614	35.271	52.402	230	30	2200
9.055	1.575	98.425	44.676	66.376	230	40	2500
9.370	1.260	236.220	38.751	57.572	238	32	6000
9.449	1.181	59.055	37.034	55.022	240	30	1500
9.449	1.575	70.866	47.027	69.869	240	40	1800
9.449	1.969	66.929	55.845	82.969	240	50	1700
9.449	2.362	66.929	63.487	94.323	240	60	1700
9.449	2.756	59.055	69.953	103.930	240	70	1500
9.449	3.150	57.087	75.244	111.790	240	80	1450
9.449	0.787	110.236	25.865	38.428	240	20	2800
9.843	1.181	74.803	38.798	57.642	250	30	1900
9.843	1.575	62.992	49.379	73.362	250	40	1600
9.843	1.969	62.992	58.784	87.336	250	50	1600
9.843	2.362	62.992	67.014	99.563	250	60	1600
9.843	2.756	62.992	74.068	110.044	250	70	1600
9.843	3.150	55.118	79.947	118.777	250	80	1400
9.843	0.689	236.220	23.918	35.535	250	18	6000
9.843	0.787	236.220	27.041	40.175	250	20	6000
10.236	0.787	39.370	28.216	41.921	260	20	1000
10.236	1.181	59.055	40.561	60.262	260	30	1500
10.236	1.969	51.181	61.724	91.703	260	50	1300
10.236	2.362	55.512	70.541	104.804	260	60	1410
10.236	2.756	62.992	78.183	116.157	260	70	1600
10.236	3.150	51.181	84.649	125.764	260	80	1300
10.236	0.591	236.220	21.603	32.096	260	15	6000
10.236	0.669	236.220	24.284	36.079	260	17	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
10.236	0.689	236.220	24.947	37.063	260	18	6000
10.433	0.984	137.795	35.271	52.402	265	25	3500
10.512	1.063	236.220	38.092	56.594	267	27	6000
10.630	1.575	55.118	54.082	80.349	270	40	1400
10.630	1.969	47.244	64.663	96.070	270	50	1200
11.024	1.575	55.118	56.433	83.843	280	40	1400
11.811	1.969	39.370	73.480	109.170	300	50	1000

- Standard aluminum pipe lengths are 2.5m, 3m, 4m, and 6m, with custom lengths up to 15m available.
- We offer cutting, punching, bending, and wall expansion services for all pipes.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.





**Welcome to contact us!**

+86 173 4489 4490

[sale@chalcoaluminum.com](mailto:sale@chalcoaluminum.com)

No. 89, Science Avenue, Zhengzhou  
High-Tech Zone, Henan, China