





Aluminum Bar Stock List



5052 H112 Aluminum round bar



Specs: AMS 4114, ASTM B221, ASTM B211, EN 755, AMS-QQ-A-225/7

Imperial Unit		Unit Weight		International Unit	
OD/in	Length/in	Lbs/FT	Kg/m	OD/mm	Length/mm
0.591	236.220	0.318	0.474	15	6000
0.787	236.220	0.566	0.842	20	6000
0.984	236.220	0.884	1.316	25	6000
1.181	236.220	1.273	1.894	30	6000
1.378	236.220	1.733	2.578	35	6000
1.575	236.220	2.263	3.368	40	6000
1.772	236.220	2.864	4.262	45	6000
1.969	236.220	3.536	5.262	50	6000
2.165	236.220	4.279	6.367	55	6000
2.362	236.220	5.092	7.578	60	6000
2.559	236.220	5.976	8.893	65	6000
2.756	236.220	6.931	10.314	70	6000
2.953	236.220	7.956	11.840	75	6000
3.150	236.220	9.052	13.471	80	6000
3.346	236.220	10.219	15.208	85	6000
3.543	236.220	11.457	17.049	90	6000

Imperial Unit		Unit Weight		International Unit	
OD/in	Length/in	Lbs/FT	Kg/m	OD/mm	Length/mm
3.740	236.220	12.765	18.996	95	6000
3.937	236.220	14.144	21.049	100	6000
4.134	236.220	15.594	23.206	105	6000
4.331	236.220	17.114	25.469	110	6000
4.528	236.220	18.705	27.837	115	6000
4.724	236.220	20.367	30.310	120	6000

- Standard aluminum bar lengths are 3m, 4m, and 6m, but custom lengths are available.
- We offer cutting, polishing, milling, and other surface treatments for all bars.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



Welcome to contact us!

+86 173 4489 4490

sale@chalcoaluminum.com

No. 89, Science Avenue, Zhengzhou
High-Tech Zone, Henan, China