





Aluminum Bar Stock List



5A06 H112 Aluminum round bar



Specs: GB/T3190、GB/T3191

| Imperial Unit | | Unit Weight | | International Unit | |
|---------------|-----------|-------------|-------|--------------------|-----------|
| OD/in | Length/in | Lbs/FT | Kg/m | OD/mm | Length/mm |
| 0.315 | 236.220 | 0.089 | 0.132 | 8 | 6000 |
| 0.394 | 236.220 | 0.139 | 0.207 | 10 | 6000 |
| 0.472 | 236.220 | 0.200 | 0.297 | 12 | 6000 |
| 0.591 | 236.220 | 0.312 | 0.465 | 15 | 6000 |
| 0.630 | 236.220 | 0.355 | 0.529 | 16 | 6000 |
| 0.709 | 236.220 | 0.450 | 0.669 | 18 | 6000 |
| 0.787 | 236.220 | 0.555 | 0.826 | 20 | 6000 |
| 0.984 | 137.795 | 0.868 | 1.291 | 25 | 3500 |
| 1.181 | 125.984 | 1.249 | 1.859 | 30 | 3200 |
| 1.378 | 137.795 | 1.700 | 2.530 | 35 | 3500 |
| 1.575 | 236.220 | 2.221 | 3.305 | 40 | 6000 |
| 1.772 | 118.110 | 2.811 | 4.183 | 45 | 3000 |
| 1.969 | 137.795 | 3.470 | 5.164 | 50 | 3500 |
| 2.165 | 137.795 | 4.199 | 6.248 | 55 | 3500 |
| 2.362 | 181.102 | 4.997 | 7.436 | 60 | 4600 |
| 2.559 | 157.480 | 5.864 | 8.727 | 65 | 4000 |

| Imperial Unit | | Unit Weight | | International Unit | |
|---------------|-----------|-------------|--------|--------------------|-----------|
| OD/in | Length/in | Lbs/FT | Kg/m | OD/mm | Length/mm |
| 2.756 | 141.732 | 6.801 | 10.121 | 70 | 3600 |
| 2.953 | 157.480 | 7.808 | 11.619 | 75 | 4000 |
| 3.150 | 157.480 | 8.883 | 13.220 | 80 | 4000 |
| 3.346 | 177.165 | 10.028 | 14.924 | 85 | 4500 |
| 3.543 | 236.220 | 11.243 | 16.731 | 90 | 6000 |
| 3.740 | 125.984 | 12.527 | 18.642 | 95 | 3200 |
| 3.937 | 157.480 | 13.880 | 20.656 | 100 | 4000 |
| 4.134 | 118.110 | 15.303 | 22.773 | 105 | 3000 |
| 4.331 | 196.850 | 16.795 | 24.994 | 110 | 5000 |
| 4.528 | 149.606 | 18.357 | 27.318 | 115 | 3800 |
| 4.724 | 125.984 | 19.987 | 29.745 | 120 | 3200 |
| 4.921 | 236.220 | 21.688 | 32.275 | 125 | 6000 |
| 5.118 | 141.732 | 23.457 | 34.909 | 130 | 3600 |
| 5.315 | 236.220 | 25.297 | 37.646 | 135 | 6000 |
| 5.512 | 125.984 | 27.205 | 40.486 | 140 | 3200 |
| 5.709 | 236.220 | 29.183 | 43.429 | 145 | 6000 |
| 5.906 | 236.220 | 31.230 | 46.476 | 150 | 6000 |
| 6.102 | 236.220 | 33.347 | 49.626 | 155 | 6000 |
| 6.299 | 196.850 | 35.533 | 52.879 | 160 | 5000 |
| 6.496 | 236.220 | 37.789 | 56.236 | 165 | 6000 |
| 6.693 | 133.858 | 40.114 | 59.696 | 170 | 3400 |
| 6.890 | 236.220 | 42.508 | 63.259 | 175 | 6000 |
| 7.087 | 236.220 | 44.972 | 66.925 | 180 | 6000 |
| 7.283 | 236.220 | 47.505 | 70.695 | 185 | 6000 |
| 7.480 | 196.850 | 50.107 | 74.568 | 190 | 5000 |
| 7.677 | 157.480 | 52.779 | 78.544 | 195 | 4000 |
| 7.874 | 236.220 | 55.521 | 82.624 | 200 | 6000 |

| Imperial Unit | | Unit Weight | | International Unit | |
|---------------|-----------|-------------|----------|--------------------|-----------|
| OD/in | Length/in | Lbs/FT | Kg/m | OD/mm | Length/mm |
| 8.071 | 118.110 | 58.331 | 86.807 | 205 | 3000 |
| 8.268 | 165.354 | 61.211 | 91.093 | 210 | 4200 |
| 8.661 | 157.480 | 67.180 | 99.975 | 220 | 4000 |
| 9.055 | 122.047 | 73.426 | 109.270 | 230 | 3100 |
| 9.449 | 110.236 | 79.950 | 118.978 | 240 | 2800 |
| 9.843 | 137.795 | 86.751 | 129.100 | 250 | 3500 |
| 10.236 | 118.110 | 93.830 | 139.634 | 260 | 3000 |
| 10.433 | 110.236 | 97.473 | 145.057 | 265 | 2800 |
| 10.630 | 236.220 | 101.186 | 150.582 | 270 | 6000 |
| 11.024 | 236.220 | 108.820 | 161.943 | 280 | 6000 |
| 11.220 | 78.740 | 112.742 | 167.778 | 285 | 2000 |
| 11.417 | 122.047 | 116.732 | 173.717 | 290 | 3100 |
| 11.811 | 94.488 | 124.921 | 185.904 | 300 | 2400 |
| 12.205 | 236.220 | 133.388 | 198.504 | 310 | 6000 |
| 12.598 | 86.614 | 142.133 | 211.517 | 320 | 2200 |
| 12.992 | 236.220 | 151.155 | 224.944 | 330 | 6000 |
| 13.386 | 236.220 | 160.455 | 238.783 | 340 | 6000 |
| 13.780 | 39.370 | 170.032 | 253.036 | 350 | 1000 |
| 33.858 | 51.181 | 1026.576 | 1527.716 | 860 | 1300 |

- Standard aluminum bar lengths are 3m, 4m, and 6m, but custom lengths are available.
- We offer cutting, polishing, milling, and other surface treatments for all bars.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



Welcome to contact us!

+86 173 4489 4490

sale@chalcoaluminum.com

No. 89, Science Avenue, Zhengzhou
High-Tech Zone, Henan, China