





# Aluminum Flat Bar Stock List



## 6061 T6 Aluminum flat bar



Specs: ASTM B221, EN755, AMS-QQ-A-200/8

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.118	0.787	118.110	0.109	0.162	3	20	3000
0.118	1.181	118.110	0.163	0.243	3	30	3000
0.118	1.575	118.110	0.218	0.324	3	40	3000
0.157	0.787	118.110	0.145	0.216	4	20	3000
0.157	1.181	118.110	0.218	0.324	4	30	3000
0.157	1.575	118.110	0.290	0.432	4	40	3000
0.157	1.969	118.110	0.363	0.540	4	50	3000
0.157	2.323	118.110	0.428	0.637	4	59	3000
0.197	0.394	118.110	0.091	0.135	5	10	3000
0.197	0.591	118.110	0.136	0.203	5	15	3000
0.197	0.787	118.110	0.181	0.270	5	20	3000
0.197	0.984	118.110	0.227	0.338	5	25	3000
0.197	1.181	118.110	0.272	0.405	5	30	3000
0.197	1.378	118.110	0.318	0.473	5	35	3000
0.197	1.575	118.110	0.363	0.540	5	40	3000
0.197	1.772	118.110	0.408	0.608	5	45	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.197	1.969	118.110	0.454	0.675	5	50	3000
0.197	2.165	118.110	0.499	0.743	5	55	3000
0.197	2.362	118.110	0.544	0.810	5	60	3000
0.197	2.756	118.110	0.635	0.945	5	70	3000
0.197	2.953	118.110	0.680	1.013	5	75	3000
0.197	3.150	118.110	0.726	1.080	5	80	3000
0.197	3.543	118.110	0.816	1.215	5	90	3000
0.197	3.937	118.110	0.907	1.350	5	100	3000
0.197	4.331	118.110	0.998	1.485	5	110	3000
0.236	0.315	118.110	0.087	0.130	6	8	3000
0.236	0.394	118.110	0.109	0.162	6	10	3000
0.236	0.472	118.110	0.131	0.194	6	12	3000
0.236	0.591	118.110	0.163	0.243	6	15	3000
0.236	0.787	118.110	0.218	0.324	6	20	3000
0.236	0.984	118.110	0.272	0.405	6	25	3000
0.236	1.181	118.110	0.327	0.486	6	30	3000
0.236	1.378	118.110	0.381	0.567	6	35	3000
0.236	1.575	118.110	0.435	0.648	6	40	3000
0.236	1.969	118.110	0.544	0.810	6	50	3000
0.236	2.362	118.110	0.653	0.972	6	60	3000
0.236	2.756	118.110	0.762	1.134	6	70	3000
0.236	3.150	118.110	0.871	1.296	6	80	3000
0.236	3.543	118.110	0.980	1.458	6	90	3000
0.236	3.937	118.110	1.089	1.620	6	100	3000
0.236	4.331	118.110	1.197	1.782	6	110	3000
0.236	4.724	118.110	1.306	1.944	6	120	3000
0.236	5.118	118.110	1.415	2.106	6	130	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.236	5.512	118.110	1.524	2.268	6	140	3000
0.236	5.906	118.110	1.633	2.430	6	150	3000
0.236	6.299	118.110	1.742	2.592	6	160	3000
0.315	0.394	118.110	0.145	0.216	8	10	3000
0.315	0.472	118.110	0.174	0.259	8	12	3000
0.315	0.591	118.110	0.218	0.324	8	15	3000
0.315	0.787	118.110	0.290	0.432	8	20	3000
0.315	0.984	118.110	0.363	0.540	8	25	3000
0.315	1.181	118.110	0.435	0.648	8	30	3000
0.315	1.378	118.110	0.508	0.756	8	35	3000
0.315	1.575	118.110	0.581	0.864	8	40	3000
0.315	1.772	118.110	0.653	0.972	8	45	3000
0.315	1.969	118.110	0.726	1.080	8	50	3000
0.315	2.165	118.110	0.798	1.188	8	55	3000
0.315	2.362	118.110	0.871	1.296	8	60	3000
0.315	2.559	118.110	0.943	1.404	8	65	3000
0.315	2.756	118.110	1.016	1.512	8	70	3000
0.315	2.953	118.110	1.089	1.620	8	75	3000
0.315	3.150	118.110	1.161	1.728	8	80	3000
0.315	3.346	118.110	1.234	1.836	8	85	3000
0.315	3.543	118.110	1.306	1.944	8	90	3000
0.315	3.740	118.110	1.379	2.052	8	95	3000
0.315	3.937	118.110	1.451	2.160	8	100	3000
0.315	4.331	118.110	1.597	2.376	8	110	3000
0.315	4.724	118.110	1.742	2.592	8	120	3000
0.315	5.118	118.110	1.887	2.808	8	130	3000
0.315	5.512	118.110	2.032	3.024	8	140	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.315	5.906	118.110	2.177	3.240	8	150	3000
0.315	6.299	118.110	2.322	3.456	8	160	3000
0.315	7.874	118.110	2.903	4.320	8	200	3000
0.394	0.591	118.110	0.272	0.405	10	15	3000
0.394	0.787	118.110	0.363	0.540	10	20	3000
0.394	0.984	118.110	0.454	0.675	10	25	3000
0.394	1.181	118.110	0.544	0.810	10	30	3000
0.394	1.378	118.110	0.635	0.945	10	35	3000
0.394	1.575	118.110	0.726	1.080	10	40	3000
0.394	1.772	118.110	0.816	1.215	10	45	3000
0.394	1.969	118.110	0.907	1.350	10	50	3000
0.394	2.165	118.110	0.998	1.485	10	55	3000
0.394	2.362	118.110	1.089	1.620	10	60	3000
0.394	2.559	118.110	1.179	1.755	10	65	3000
0.394	2.756	118.110	1.270	1.890	10	70	3000
0.394	2.953	118.110	1.361	2.025	10	75	3000
0.394	3.150	118.110	1.451	2.160	10	80	3000
0.394	3.346	118.110	1.542	2.295	10	85	3000
0.394	3.543	118.110	1.633	2.430	10	90	3000
0.394	3.740	118.110	1.724	2.565	10	95	3000
0.394	3.937	118.110	1.814	2.700	10	100	3000
0.394	4.331	118.110	1.996	2.970	10	110	3000
0.394	4.724	118.110	2.177	3.240	10	120	3000
0.394	5.118	118.110	2.359	3.510	10	130	3000
0.394	5.512	118.110	2.540	3.780	10	140	3000
0.394	5.906	118.110	2.721	4.050	10	150	3000
0.394	6.299	118.110	2.903	4.320	10	160	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.394	7.087	118.110	3.266	4.860	10	180	3000
0.394	7.874	118.110	3.629	5.400	10	200	3000
0.394	9.843	118.110	4.536	6.750	10	250	3000
0.472	0.591	118.110	0.327	0.486	12	15	3000
0.472	0.787	118.110	0.435	0.648	12	20	3000
0.472	0.984	118.110	0.544	0.810	12	25	3000
0.472	1.181	118.110	0.653	0.972	12	30	3000
0.472	1.260	118.110	0.697	1.037	12	32	3000
0.472	1.378	118.110	0.762	1.134	12	35	3000
0.472	1.575	118.110	0.871	1.296	12	40	3000
0.472	1.772	118.110	0.980	1.458	12	45	3000
0.472	1.969	118.110	1.089	1.620	12	50	3000
0.472	2.165	118.110	1.197	1.782	12	55	3000
0.472	2.362	118.110	1.306	1.944	12	60	3000
0.472	2.559	118.110	1.415	2.106	12	65	3000
0.472	2.756	118.110	1.524	2.268	12	70	3000
0.472	2.953	118.110	1.633	2.430	12	75	3000
0.472	3.150	118.110	1.742	2.592	12	80	3000
0.472	3.346	118.110	1.851	2.754	12	85	3000
0.472	3.543	118.110	1.959	2.916	12	90	3000
0.472	3.740	118.110	2.068	3.078	12	95	3000
0.472	3.937	118.110	2.177	3.240	12	100	3000
0.472	4.331	118.110	2.395	3.564	12	110	3000
0.472	4.724	118.110	2.613	3.888	12	120	3000
0.472	5.118	118.110	2.830	4.212	12	130	3000
0.472	5.512	118.110	3.048	4.536	12	140	3000
0.472	5.906	118.110	3.266	4.860	12	150	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.472	6.299	118.110	3.483	5.184	12	160	3000
0.472	6.693	118.110	3.701	5.508	12	170	3000
0.472	7.087	118.110	3.919	5.832	12	180	3000
0.472	7.874	118.110	4.354	6.480	12	200	3000
0.551	0.787	118.110	0.508	0.756	14	20	3000
0.551	1.181	118.110	0.762	1.134	14	30	3000
0.551	1.575	118.110	1.016	1.512	14	40	3000
0.551	1.969	118.110	1.270	1.890	14	50	3000
0.551	2.362	118.110	1.524	2.268	14	60	3000
0.551	2.756	118.110	1.778	2.646	14	70	3000
0.551	3.150	118.110	2.032	3.024	14	80	3000
0.551	3.543	118.110	2.286	3.402	14	90	3000
0.551	3.937	118.110	2.540	3.780	14	100	3000
0.551	4.331	118.110	2.794	4.158	14	110	3000
0.551	4.724	118.110	3.048	4.536	14	120	3000
0.551	5.118	118.110	3.302	4.914	14	130	3000
0.551	5.512	118.110	3.556	5.292	14	140	3000
0.551	5.906	118.110	3.810	5.670	14	150	3000
0.551	6.693	118.110	4.318	6.426	14	170	3000
0.591	0.787	118.110	0.544	0.810	15	20	3000
0.591	0.984	118.110	0.680	1.013	15	25	3000
0.591	1.181	118.110	0.816	1.215	15	30	3000
0.591	1.378	118.110	0.953	1.418	15	35	3000
0.591	1.575	118.110	1.089	1.620	15	40	3000
0.591	1.772	118.110	1.225	1.823	15	45	3000
0.591	1.969	118.110	1.361	2.025	15	50	3000
0.591	2.165	118.110	1.497	2.228	15	55	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.591	2.362	118.110	1.633	2.430	15	60	3000
0.591	2.559	118.110	1.769	2.633	15	65	3000
0.591	2.756	118.110	1.905	2.835	15	70	3000
0.591	2.953	118.110	2.041	3.038	15	75	3000
0.591	3.150	118.110	2.177	3.240	15	80	3000
0.591	3.346	118.110	2.313	3.443	15	85	3000
0.591	3.543	118.110	2.449	3.645	15	90	3000
0.591	3.740	118.110	2.585	3.848	15	95	3000
0.591	3.937	118.110	2.721	4.050	15	100	3000
0.591	4.331	118.110	2.994	4.455	15	110	3000
0.591	4.724	118.110	3.266	4.860	15	120	3000
0.591	5.118	118.110	3.538	5.265	15	130	3000
0.591	5.512	118.110	3.810	5.670	15	140	3000
0.591	5.906	118.110	4.082	6.075	15	150	3000
0.591	6.299	118.110	4.354	6.480	15	160	3000
0.591	7.087	118.110	4.899	7.290	15	180	3000
0.591	7.874	118.110	5.443	8.100	15	200	3000
0.591	9.843	118.110	6.804	10.125	15	250	3000
0.630	0.787	118.110	0.581	0.864	16	20	3000
0.630	0.984	118.110	0.726	1.080	16	25	3000
0.630	1.181	118.110	0.871	1.296	16	30	3000
0.630	1.260	118.110	0.929	1.382	16	32	3000
0.630	1.575	118.110	1.161	1.728	16	40	3000
0.630	1.772	118.110	1.306	1.944	16	45	3000
0.630	1.969	118.110	1.451	2.160	16	50	3000
0.630	2.165	118.110	1.597	2.376	16	55	3000
0.630	2.362	118.110	1.742	2.592	16	60	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.630	2.559	118.110	1.887	2.808	16	65	3000
0.630	2.756	118.110	2.032	3.024	16	70	3000
0.630	3.150	118.110	2.322	3.456	16	80	3000
0.630	3.543	118.110	2.613	3.888	16	90	3000
0.630	3.937	118.110	2.903	4.320	16	100	3000
0.630	4.331	118.110	3.193	4.752	16	110	3000
0.630	4.724	118.110	3.483	5.184	16	120	3000
0.630	5.118	118.110	3.774	5.616	16	130	3000
0.630	5.512	118.110	4.064	6.048	16	140	3000
0.630	5.906	118.110	4.354	6.480	16	150	3000
0.630	6.299	118.110	4.645	6.912	16	160	3000
0.630	7.087	118.110	5.225	7.776	16	180	3000
0.630	7.874	118.110	5.806	8.640	16	200	3000
0.709	0.787	118.110	0.653	0.972	18	20	3000
0.709	1.181	118.110	0.980	1.458	18	30	3000
0.709	1.575	118.110	1.306	1.944	18	40	3000
0.709	1.969	118.110	1.633	2.430	18	50	3000
0.709	2.362	118.110	1.959	2.916	18	60	3000
0.709	2.756	118.110	2.286	3.402	18	70	3000
0.709	3.150	118.110	2.613	3.888	18	80	3000
0.709	3.543	118.110	2.939	4.374	18	90	3000
0.709	3.937	118.110	3.266	4.860	18	100	3000
0.709	4.331	118.110	3.592	5.346	18	110	3000
0.709	4.724	118.110	3.919	5.832	18	120	3000
0.709	5.118	118.110	4.245	6.318	18	130	3000
0.709	5.512	118.110	4.572	6.804	18	140	3000
0.709	5.906	118.110	4.899	7.290	18	150	3000



Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.787	0.984	118.110	0.907	1.350	20	25	3000
0.787	1.181	118.110	1.089	1.620	20	30	3000
0.787	1.378	118.110	1.270	1.890	20	35	3000
0.787	1.575	118.110	1.451	2.160	20	40	3000
0.787	1.772	118.110	1.633	2.430	20	45	3000
0.787	1.969	118.110	1.814	2.700	20	50	3000
0.787	2.165	118.110	1.996	2.970	20	55	3000
0.787	2.362	118.110	2.177	3.240	20	60	3000
0.787	2.559	118.110	2.359	3.510	20	65	3000
0.787	2.756	118.110	2.540	3.780	20	70	3000
0.787	2.953	118.110	2.721	4.050	20	75	3000
0.787	3.150	118.110	2.903	4.320	20	80	3000
0.787	3.346	118.110	3.084	4.590	20	85	3000
0.787	3.543	118.110	3.266	4.860	20	90	3000
0.787	3.740	118.110	3.447	5.130	20	95	3000
0.787	3.937	118.110	3.629	5.400	20	100	3000
0.787	4.331	118.110	3.991	5.940	20	110	3000
0.787	4.724	118.110	4.354	6.480	20	120	3000
0.787	5.118	118.110	4.717	7.020	20	130	3000
0.787	5.512	118.110	5.080	7.560	20	140	3000
0.787	5.906	118.110	5.443	8.100	20	150	3000
0.787	6.299	118.110	5.806	8.640	20	160	3000
0.787	6.693	118.110	6.169	9.180	20	170	3000
0.787	7.087	118.110	6.532	9.720	20	180	3000
0.787	7.874	118.110	7.257	10.800	20	200	3000
0.787	9.843	118.110	9.072	13.500	20	250	3000
0.866	1.575	118.110	1.597	2.376	22	40	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.866	1.969	118.110	1.996	2.970	22	50	3000
0.866	2.165	118.110	2.195	3.267	22	55	3000
0.866	2.362	118.110	2.395	3.564	22	60	3000
0.866	2.598	118.110	2.634	3.920	22	66	3000
0.866	2.953	118.110	2.994	4.455	22	75	3000
0.866	3.150	118.110	3.193	4.752	22	80	3000
0.866	3.543	118.110	3.592	5.346	22	90	3000
0.866	3.937	118.110	3.991	5.940	22	100	3000
0.866	4.331	118.110	4.391	6.534	22	110	3000
0.866	4.724	118.110	4.790	7.128	22	120	3000
0.866	5.118	118.110	5.189	7.722	22	130	3000
0.866	5.807	118.110	5.887	8.762	22	148	3000
0.984	1.181	118.110	1.361	2.025	25	30	3000
0.984	1.378	118.110	1.588	2.363	25	35	3000
0.984	1.575	118.110	1.814	2.700	25	40	3000
0.984	1.772	118.110	2.041	3.038	25	45	3000
0.984	1.969	118.110	2.268	3.375	25	50	3000
0.984	2.165	118.110	2.495	3.713	25	55	3000
0.984	2.362	118.110	2.721	4.050	25	60	3000
0.984	2.559	118.110	2.948	4.388	25	65	3000
0.984	2.756	118.110	3.175	4.725	25	70	3000
0.984	2.953	118.110	3.402	5.063	25	75	3000
0.984	3.150	118.110	3.629	5.400	25	80	3000
0.984	3.346	118.110	3.855	5.738	25	85	3000
0.984	3.543	118.110	4.082	6.075	25	90	3000
0.984	3.740	118.110	4.309	6.413	25	95	3000
0.984	3.937	118.110	4.536	6.750	25	100	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
0.984	4.331	118.110	4.989	7.425	25	110	3000
0.984	4.724	118.110	5.443	8.100	25	120	3000
0.984	5.118	118.110	5.897	8.775	25	130	3000
0.984	5.512	118.110	6.350	9.450	25	140	3000
0.984	5.906	118.110	6.804	10.125	25	150	3000
0.984	6.299	118.110	7.257	10.800	25	160	3000
0.984	6.693	118.110	7.711	11.475	25	170	3000
0.984	7.087	118.110	8.164	12.150	25	180	3000
0.984	7.480	118.110	8.618	12.825	25	190	3000
0.984	7.874	118.110	9.072	13.500	25	200	3000
1.181	1.378	118.110	1.905	2.835	30	35	3000
1.181	1.575	118.110	2.177	3.240	30	40	3000
1.181	1.772	118.110	2.449	3.645	30	45	3000
1.181	1.969	118.110	2.721	4.050	30	50	3000
1.181	2.165	118.110	2.994	4.455	30	55	3000
1.181	2.362	118.110	3.266	4.860	30	60	3000
1.181	2.559	118.110	3.538	5.265	30	65	3000
1.181	2.756	118.110	3.810	5.670	30	70	3000
1.181	2.953	118.110	4.082	6.075	30	75	3000
1.181	3.150	118.110	4.354	6.480	30	80	3000
1.181	3.346	118.110	4.627	6.885	30	85	3000
1.181	3.543	118.110	4.899	7.290	30	90	3000
1.181	3.740	118.110	5.171	7.695	30	95	3000
1.181	3.937	118.110	5.443	8.100	30	100	3000
1.181	4.331	118.110	5.987	8.910	30	110	3000
1.181	4.724	118.110	6.532	9.720	30	120	3000
1.181	5.118	118.110	7.076	10.530	30	130	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
1.181	5.512	118.110	7.620	11.340	30	140	3000
1.181	5.906	118.110	8.164	12.150	30	150	3000
1.181	6.299	118.110	8.709	12.960	30	160	3000
1.181	7.087	118.110	9.797	14.580	30	180	3000
1.181	7.874	118.110	10.886	16.200	30	200	3000
1.260	2.559	118.110	3.774	5.616	32	65	3000
1.378	1.575	118.110	2.540	3.780	35	40	3000
1.378	1.772	118.110	2.858	4.253	35	45	3000
1.378	1.969	118.110	3.175	4.725	35	50	3000
1.378	2.165	118.110	3.493	5.198	35	55	3000
1.378	2.362	118.110	3.810	5.670	35	60	3000
1.378	2.559	118.110	4.128	6.143	35	65	3000
1.378	2.756	118.110	4.445	6.615	35	70	3000
1.378	2.953	118.110	4.763	7.088	35	75	3000
1.378	3.150	118.110	5.080	7.560	35	80	3000
1.378	3.346	118.110	5.398	8.033	35	85	3000
1.378	3.543	118.110	5.715	8.505	35	90	3000
1.378	3.740	118.110	6.033	8.978	35	95	3000
1.378	3.937	118.110	6.350	9.450	35	100	3000
1.378	4.331	118.110	6.985	10.395	35	110	3000
1.378	4.724	118.110	7.620	11.340	35	120	3000
1.378	5.118	118.110	8.255	12.285	35	130	3000
1.378	5.512	118.110	8.890	13.230	35	140	3000
1.378	5.906	118.110	9.525	14.175	35	150	3000
1.378	6.299	118.110	10.160	15.120	35	160	3000
1.378	6.693	118.110	10.795	16.065	35	170	3000
1.378	7.087	118.110	11.430	17.010	35	180	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
1.378	7.874	118.110	12.700	18.900	35	200	3000
1.575	1.772	118.110	3.266	4.860	40	45	3000
1.575	1.969	118.110	3.629	5.400	40	50	3000
1.575	2.165	118.110	3.991	5.940	40	55	3000
1.575	2.362	118.110	4.354	6.480	40	60	3000
1.575	2.559	118.110	4.717	7.020	40	65	3000
1.575	2.756	118.110	5.080	7.560	40	70	3000
1.575	2.953	118.110	5.443	8.100	40	75	3000
1.575	3.150	118.110	5.806	8.640	40	80	3000
1.575	3.346	118.110	6.169	9.180	40	85	3000
1.575	3.543	118.110	6.532	9.720	40	90	3000
1.575	3.740	118.110	6.894	10.260	40	95	3000
1.575	3.937	118.110	7.257	10.800	40	100	3000
1.575	4.331	118.110	7.983	11.880	40	110	3000
1.575	4.724	118.110	8.709	12.960	40	120	3000
1.575	5.118	118.110	9.434	14.040	40	130	3000
1.575	5.512	118.110	10.160	15.120	40	140	3000
1.575	5.906	118.110	10.886	16.200	40	150	3000
1.575	6.299	118.110	11.612	17.280	40	160	3000
1.575	6.693	118.110	12.337	18.360	40	170	3000
1.575	7.087	118.110	13.063	19.440	40	180	3000
1.575	7.874	118.110	14.515	21.600	40	200	3000
1.772	1.969	118.110	4.082	6.075	45	50	3000
1.772	2.165	118.110	4.490	6.683	45	55	3000
1.772	2.362	118.110	4.899	7.290	45	60	3000
1.772	2.559	118.110	5.307	7.898	45	65	3000
1.772	2.756	118.110	5.715	8.505	45	70	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
1.772	2.953	118.110	6.123	9.113	45	75	3000
1.772	3.150	118.110	6.532	9.720	45	80	3000
1.772	3.346	118.110	6.940	10.328	45	85	3000
1.772	3.543	118.110	7.348	10.935	45	90	3000
1.772	3.740	118.110	7.756	11.543	45	95	3000
1.772	3.937	118.110	8.164	12.150	45	100	3000
1.772	4.331	118.110	8.981	13.365	45	110	3000
1.772	4.724	118.110	9.797	14.580	45	120	3000
1.772	5.118	118.110	10.614	15.795	45	130	3000
1.772	5.512	118.110	11.430	17.010	45	140	3000
1.772	5.906	118.110	12.247	18.225	45	150	3000
1.772	6.299	118.110	13.063	19.440	45	160	3000
1.772	6.693	118.110	13.880	20.655	45	170	3000
1.772	7.087	118.110	14.696	21.870	45	180	3000
1.772	7.874	118.110	16.329	24.300	45	200	3000
1.969	2.165	118.110	4.989	7.425	50	55	3000
1.969	2.362	118.110	5.443	8.100	50	60	3000
1.969	2.559	118.110	5.897	8.775	50	65	3000
1.969	2.756	118.110	6.350	9.450	50	70	3000
1.969	2.953	118.110	6.804	10.125	50	75	3000
1.969	3.150	118.110	7.257	10.800	50	80	3000
1.969	3.346	118.110	7.711	11.475	50	85	3000
1.969	3.543	118.110	8.164	12.150	50	90	3000
1.969	3.740	118.110	8.618	12.825	50	95	3000
1.969	3.937	118.110	9.072	13.500	50	100	3000
1.969	4.331	118.110	9.979	14.850	50	110	3000
1.969	4.724	118.110	10.886	16.200	50	120	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
1.969	5.118	118.110	11.793	17.550	50	130	3000
1.969	5.512	118.110	12.700	18.900	50	140	3000
1.969	5.906	118.110	13.607	20.250	50	150	3000
1.969	6.299	118.110	14.515	21.600	50	160	3000
1.969	7.087	118.110	16.329	24.300	50	180	3000
1.969	7.874	118.110	18.143	27.000	50	200	3000
2.165	2.362	118.110	5.987	8.910	55	60	3000
2.165	2.559	118.110	6.486	9.653	55	65	3000
2.165	2.756	118.110	6.985	10.395	55	70	3000
2.165	2.953	118.110	7.484	11.138	55	75	3000
2.165	3.150	118.110	7.983	11.880	55	80	3000
2.165	3.346	118.110	8.482	12.623	55	85	3000
2.165	3.543	118.110	8.981	13.365	55	90	3000
2.165	3.937	118.110	9.979	14.850	55	100	3000
2.165	4.331	118.110	10.977	16.335	55	110	3000
2.165	4.724	118.110	11.974	17.820	55	120	3000
2.165	5.118	118.110	12.972	19.305	55	130	3000
2.165	5.512	118.110	13.970	20.790	55	140	3000
2.165	5.906	118.110	14.968	22.275	55	150	3000
2.362	2.559	118.110	7.076	10.530	60	65	3000
2.362	2.756	118.110	7.620	11.340	60	70	3000
2.362	2.953	118.110	8.164	12.150	60	75	3000
2.362	3.150	118.110	8.709	12.960	60	80	3000
2.362	3.346	118.110	9.253	13.770	60	85	3000
2.362	3.543	118.110	9.797	14.580	60	90	3000
2.362	3.740	118.110	10.342	15.390	60	95	3000
2.362	3.937	118.110	10.886	16.200	60	100	3000

Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
2.362	4.331	118.110	11.974	17.820	60	110	3000
2.362	4.724	118.110	13.063	19.440	60	120	3000
2.362	5.118	118.110	14.152	21.060	60	130	3000
2.362	5.512	118.110	15.240	22.680	60	140	3000
2.362	5.906	118.110	16.329	24.300	60	150	3000
2.362	6.299	118.110	17.417	25.920	60	160	3000
2.362	7.087	118.110	19.595	29.160	60	180	3000
2.559	2.756	118.110	8.255	12.285	65	70	3000
2.559	2.953	118.110	8.845	13.163	65	75	3000
2.559	3.150	118.110	9.434	14.040	65	80	3000
2.559	3.346	118.110	10.024	14.918	65	85	3000
2.559	3.543	118.110	10.614	15.795	65	90	3000
2.559	3.937	118.110	11.793	17.550	65	100	3000
2.559	4.331	118.110	12.972	19.305	65	110	3000
2.559	4.724	118.110	14.152	21.060	65	120	3000
2.559	5.118	118.110	15.331	22.815	65	130	3000
2.559	5.906	118.110	17.690	26.325	65	150	3000
2.756	2.953	118.110	9.525	14.175	70	75	3000
2.756	3.150	118.110	10.160	15.120	70	80	3000
2.756	3.346	118.110	10.795	16.065	70	85	3000
2.756	3.543	118.110	11.430	17.010	70	90	3000
2.756	3.937	118.110	12.700	18.900	70	100	3000
2.756	4.331	118.110	13.970	20.790	70	110	3000
2.756	4.724	118.110	15.240	22.680	70	120	3000
2.756	5.118	118.110	16.510	24.570	70	130	3000
2.756	5.512	118.110	17.780	26.460	70	140	3000
2.756	5.906	118.110	19.050	28.350	70	150	3000



Imperial Unit			Unit Weight		International Unit		
A/in	B/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Length/mm
2.953	3.150	118.110	10.886	16.200	75	80	3000
2.953	3.346	118.110	11.566	17.213	75	85	3000
2.953	3.543	118.110	12.247	18.225	75	90	3000
2.953	3.740	118.110	12.927	19.238	75	95	3000
2.953	5.906	118.110	20.411	30.375	75	150	3000
2.953	7.087	118.110	24.493	36.450	75	180	3000
3.150	3.543	118.110	13.063	19.440	80	90	3000
3.150	3.937	118.110	14.515	21.600	80	100	3000
3.150	4.331	118.110	15.966	23.760	80	110	3000
3.150	4.724	118.110	17.417	25.920	80	120	3000

- Standard aluminum flat bar lengths are 3m, but custom lengths are available.
- We offer cutting, polishing and other surface treatments for all flat bars.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



**Welcome to contact us!**

+86 173 4489 4490

[sale@chalcoaluminum.com](mailto:sale@chalcoaluminum.com)

No. 89, Science Avenue, Zhengzhou  
High-Tech Zone, Henan, China