




Aluminum Tube Stock List




Product Catalog

Chalco offers a variety of 6063 aluminum tubes, including round tubes, seamless tubes, square tubes, and rectangular tubes. We support small-batch orders and provide services such as custom length cutting, tube expansion, machining, and surface treatments.


6063 T5 Aluminum round pipe tube.....	1
6063 T5 Seamless aluminum pipe tube.....	7
6065 T5 Aluminum square tube.....	17
6065 T5 Rectangular aluminum tube.....	20



Aluminum Tube Stock List



6063 T5 Aluminum round pipe tube



Specs: ASTM B210, ASTM B221, ASTM B429

Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
0.551	0.157	0.228	0.339	14.00	4.00
0.787	0.079	0.205	0.305	20.00	2.00
0.787	0.157	0.364	0.543	20.00	4.00
0.866	0.157	0.410	0.611	22.00	4.00
1.102	0.118	0.427	0.636	28.00	3.00
1.102	0.157	0.546	0.814	28.00	4.00
1.181	0.079	0.319	0.475	30.00	2.00
1.181	0.197	0.711	1.060	30.00	5.00
1.181	0.236	0.820	1.221	30.00	6.00
1.220	0.197	0.740	1.103	31.00	5.00
1.260	0.079	0.341	0.509	32.00	2.00
1.260	0.118	0.495	0.738	32.00	3.00
1.260	0.197	0.768	1.145	32.00	5.00
1.378	0.197	0.854	1.272	35.00	5.00
1.417	0.315	1.275	1.900	36.00	8.00
1.496	0.118	0.598	0.891	38.00	3.00

Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
1.535	0.157	0.797	1.188	39.00	4.00
1.654	0.118	0.666	0.992	42.00	3.00
1.693	0.118	0.683	1.018	43.00	3.00
1.772	0.118	0.717	1.069	45.00	3.00
1.772	0.197	1.138	1.696	45.00	5.00
1.772	0.315	1.685	2.511	45.00	8.00
1.890	0.197	1.224	1.824	48.00	5.00
1.969	0.118	0.802	1.196	50.00	3.00
1.969	0.157	1.047	1.561	50.00	4.00
1.969	0.197	1.281	1.909	50.00	5.00
1.969	0.236	1.503	2.239	50.00	6.00
2.362	0.079	0.660	0.984	60.00	2.00
2.362	0.118	0.973	1.450	60.00	3.00
2.362	0.394	2.846	4.241	60.00	10.00
2.362	0.472	3.278	4.886	60.00	12.00
2.362	0.591	3.842	5.726	60.00	15.00
2.559	0.197	1.707	2.545	65.00	5.00
2.756	0.157	1.503	2.239	70.00	4.00
2.953	0.394	3.699	5.513	75.00	10.00
3.150	0.197	2.134	3.181	80.00	5.00
3.937	0.394	5.122	7.634	100.00	10.00
5.906	0.197	4.126	6.150	150.00	5.00
7.087	0.394	9.675	14.420	180.00	10.00
8.661	0.394	11.952	17.813	220.00	10.00
0.551	0.138	0.209	0.312	14.00	3.50
0.701	0.163	0.322	0.481	17.80	4.15
0.709	0.215	0.389	0.580	18.00	5.45

Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
0.709	0.118	0.256	0.382	18.00	3.00
0.787	0.236	0.478	0.713	20.00	6.00
0.787	0.177	0.397	0.592	20.00	4.50
0.787	0.118	0.290	0.433	20.00	3.00
0.866	0.256	0.573	0.855	22.00	6.50
0.866	0.118	0.324	0.483	22.00	3.00
0.984	0.276	0.717	1.069	25.00	7.00
0.984	0.157	0.478	0.713	25.00	4.00
0.984	0.118	0.376	0.560	25.00	3.00
1.039	0.362	0.901	1.342	26.40	9.20
1.063	0.400	0.973	1.451	27.00	10.15
1.063	0.256	0.758	1.130	27.00	6.50
1.063	0.197	0.626	0.933	27.00	5.00
1.142	0.335	0.992	1.478	29.00	8.50
1.142	0.315	0.956	1.425	29.00	8.00
1.181	0.256	0.869	1.296	30.00	6.50
1.181	0.157	0.592	0.882	30.00	4.00
1.260	0.492	1.387	2.068	32.00	12.50
1.213	0.388	1.174	1.750	30.80	9.85
1.260	0.197	0.768	1.145	32.00	5.00
1.299	0.335	1.185	1.766	33.00	8.50
1.339	0.187	0.791	1.179	34.00	4.75
1.378	0.315	1.229	1.832	35.00	8.00
1.378	0.236	0.990	1.476	35.00	6.00
1.378	0.138	0.627	0.935	35.00	3.50
1.417	0.335	1.330	1.983	36.00	8.50
1.575	0.413	1.763	2.627	40.00	10.50


Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
1.575	0.295	1.387	2.068	40.00	7.50
1.575	0.197	0.996	1.484	40.00	5.00
1.575	0.157	0.820	1.221	40.00	4.00
1.654	0.276	1.394	2.078	42.00	7.00
1.772	0.492	2.312	3.446	45.00	12.50
1.772	0.394	1.992	2.969	45.00	10.00
1.772	0.295	1.601	2.386	45.00	7.50
1.890	0.413	2.241	3.340	48.00	10.50
1.898	0.205	1.273	1.897	48.20	5.20
1.929	0.669	3.096	4.614	49.00	17.00
1.969	0.394	2.277	3.393	50.00	10.00
2.008	0.610	3.132	4.667	51.00	15.50
2.087	0.551	3.108	4.631	53.00	14.00
2.087	0.354	2.254	3.359	53.00	9.00
2.126	0.413	2.600	3.874	54.00	10.50
2.165	0.433	2.755	4.105	55.00	11.00
2.173	0.205	1.480	2.205	55.20	5.20
2.205	0.748	4.001	5.963	56.00	19.00
2.205	0.620	3.608	5.377	56.00	15.75
2.205	0.512	3.182	4.742	56.00	13.00
2.205	0.335	2.298	3.425	56.00	8.50
2.283	0.512	3.329	4.962	58.00	13.00
2.362	0.748	4.434	6.608	60.00	19.00
2.480	0.689	4.532	6.754	63.00	17.50
2.559	0.453	3.502	5.219	65.00	11.50
2.677	0.394	3.301	4.920	68.00	10.00
2.756	0.787	5.691	8.482	70.00	20.00

Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
2.756	0.591	4.695	6.998	70.00	15.00
2.756	0.492	4.091	6.097	70.00	12.50
2.756	0.236	2.186	3.257	70.00	6.00
2.953	0.906	6.807	10.145	75.00	23.00
2.953	0.650	5.494	8.188	75.00	16.50
2.953	0.591	5.122	7.634	75.00	15.00
2.992	0.394	3.756	5.598	76.00	10.00
3.031	0.256	2.608	3.887	77.00	6.50
3.091	0.604	5.517	8.222	78.50	15.35
3.150	0.787	6.830	10.179	80.00	20.00
3.150	0.492	4.802	7.157	80.00	12.50
3.307	0.669	6.483	9.661	84.00	17.00
3.346	0.689	6.723	10.020	85.00	17.50
3.543	0.295	3.522	5.248	90.00	7.50
3.583	0.876	8.706	12.975	91.00	22.25
3.583	0.610	6.660	9.926	91.00	15.50
3.583	0.551	6.135	9.144	91.00	14.00
3.898	0.965	10.388	15.482	99.00	24.50
4.016	0.827	9.681	14.428	102.00	21.00
4.134	0.512	6.807	10.145	105.00	13.00
4.252	0.335	4.814	7.174	108.00	8.50
4.331	0.787	10.245	15.268	110.00	20.00
4.528	1.378	15.936	23.750	115.00	35.00
4.409	1.063	13.062	19.467	112.00	27.00
4.882	0.571	9.037	13.468	124.00	14.50
4.921	0.984	14.229	21.206	125.00	25.00
4.921	0.394	6.545	9.755	125.00	10.00

Imperial Unit		Unit Weight		International Unit	
OD/in	Wall/in	Lbs/FT	Kg/m	OD/mm	Wall/mm
5.354	0.945	15.299	22.800	136.00	24.00
5.630	0.453	8.607	12.827	143.00	11.50
5.748	1.457	22.954	34.209	146.00	37.00
6.102	0.984	18.497	27.567	155.00	25.00
6.496	1.457	26.955	40.172	165.00	37.00
6.772	1.240	25.189	37.541	172.00	31.50
7.874	0.797	20.717	30.875	200.00	20.25
7.913	0.433	11.895	17.728	201.00	11.00
8.071	1.280	31.908	47.554	205.00	32.50
8.465	1.240	32.898	49.030	215.00	31.50

- Standard aluminum pipe lengths are 2.5m, 3m, 4m, and 6m, with custom lengths up to 15m available.
- We offer cutting, punching, bending, and wall expansion services for all pipes.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

6063 T5 Seamless aluminum pipe tube



Specs: ASTM B210, ASTM B241, ASTM B345

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
0.236	0.039	157.480	0.374	0.042	6	1.00	4000
0.276	0.039	157.480	0.449	0.051	7	1.00	4000
0.315	0.039	157.480	0.524	0.059	8	1.00	4000
0.315	0.047	157.480	0.610	0.069	8	1.20	4000
0.315	0.059	157.480	0.729	0.083	8	1.50	4000
0.315	0.079	157.480	0.898	0.102	8	2.00	4000
0.394	0.039	157.480	0.673	0.076	10	1.00	4000
0.394	0.047	157.480	0.790	0.090	10	1.20	4000
0.394	0.059	157.480	0.954	0.108	10	1.50	4000
0.394	0.079	157.480	1.197	0.136	10	2.00	4000
0.433	0.039	157.480	0.748	0.085	11	1.00	4000
0.433	0.047	157.480	0.880	0.100	11	1.20	4000
0.433	0.059	157.480	1.066	0.121	11	1.50	4000
0.472	0.039	157.480	0.823	0.093	12	1.00	4000
0.472	0.059	157.480	1.178	0.134	12	1.50	4000
0.472	0.079	157.480	1.496	0.170	12	2.00	4000
0.472	0.098	157.480	1.777	0.201	12	2.50	4000
0.472	0.118	157.480	2.020	0.229	12	3.00	4000
0.512	0.079	157.480	1.646	0.187	13	2.00	4000
0.551	0.039	157.480	0.972	0.110	14	1.00	4000
0.551	0.047	157.480	1.149	0.130	14	1.20	4000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
0.551	0.059	157.480	1.403	0.159	14	1.50	4000
0.551	0.079	157.480	1.795	0.204	14	2.00	4000
0.551	0.098	157.480	2.151	0.244	14	2.50	4000
0.551	0.118	157.480	2.468	0.280	14	3.00	4000
0.591	0.039	157.480	1.047	0.119	15	1.00	4000
0.591	0.047	157.480	1.239	0.140	15	1.20	4000
0.591	0.059	157.480	1.515	0.172	15	1.50	4000
0.591	0.079	157.480	1.945	0.221	15	2.00	4000
0.591	0.098	157.480	2.338	0.265	15	2.50	4000
0.591	0.118	157.480	2.693	0.305	15	3.00	4000
0.630	0.039	157.480	1.122	0.127	16	1.00	4000
0.630	0.047	157.480	1.328	0.151	16	1.20	4000
0.630	0.059	157.480	1.627	0.184	16	1.50	4000
0.630	0.079	157.480	2.094	0.238	16	2.00	4000
0.630	0.118	157.480	2.917	0.331	16	3.00	4000
0.630	0.157	157.480	3.590	0.407	16	4.00	4000
0.709	0.039	157.480	1.272	0.144	18	1.00	4000
0.709	0.059	157.480	1.851	0.210	18	1.50	4000
0.709	0.079	157.480	2.394	0.271	18	2.00	4000
0.709	0.118	157.480	3.366	0.382	18	3.00	4000
0.709	0.157	157.480	4.189	0.475	18	4.00	4000
0.709	0.197	157.480	4.862	0.551	18	5.00	4000
0.748	0.039	157.480	1.346	0.153	19	1.00	4000
0.748	0.047	157.480	1.598	0.181	19	1.20	4000
0.748	0.079	157.480	2.543	0.288	19	2.00	4000
0.748	0.118	157.480	3.590	0.407	19	3.00	4000
0.748	0.157	157.480	4.488	0.509	19	4.00	4000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
0.787	0.039	157.480	1.421	0.161	20	1.00	4000
0.787	0.047	157.480	1.688	0.191	20	1.20	4000
0.787	0.059	157.480	2.076	0.235	20	1.50	4000
0.787	0.079	157.480	2.693	0.305	20	2.00	4000
0.787	0.098	157.480	3.273	0.371	20	2.50	4000
0.787	0.118	157.480	3.815	0.433	20	3.00	4000
0.787	0.157	157.480	4.787	0.543	20	4.00	4000
0.866	0.039	157.480	1.571	0.178	22	1.00	4000
0.866	0.047	157.480	1.867	0.212	22	1.20	4000
0.866	0.059	157.480	2.300	0.261	22	1.50	4000
0.866	0.079	157.480	2.992	0.339	22	2.00	4000
0.866	0.118	157.480	4.264	0.483	22	3.00	4000
0.866	0.157	157.480	5.386	0.611	22	4.00	4000
0.945	0.039	157.480	1.720	0.195	24	1.00	4000
0.945	0.079	157.480	3.291	0.373	24	2.00	4000
0.945	0.118	157.480	4.712	0.534	24	3.00	4000
0.945	0.157	157.480	5.984	0.679	24	4.00	4000
0.984	0.039	157.480	1.795	0.204	25	1.00	4000
0.984	0.047	157.480	2.136	0.242	25	1.20	4000
0.984	0.059	157.480	2.637	0.299	25	1.50	4000
0.984	0.079	157.480	3.441	0.390	25	2.00	4000
0.984	0.098	157.480	4.208	0.477	25	2.50	4000
0.984	0.118	157.480	4.937	0.560	25	3.00	4000
0.984	0.157	157.480	6.283	0.713	25	4.00	4000
1.024	0.039	157.480	1.870	0.212	26	1.00	4000
1.024	0.079	157.480	3.590	0.407	26	2.00	4000
1.024	0.098	157.480	4.395	0.498	26	2.50	4000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
1.024	0.118	157.480	5.161	0.585	26	3.00	4000
1.024	0.157	157.480	6.582	0.746	26	4.00	4000
1.063	0.079	157.480	3.740	0.424	27	2.00	4000
1.063	0.118	157.480	5.386	0.611	27	3.00	4000
1.063	0.157	157.480	6.882	0.780	27	4.00	4000
1.102	0.039	157.480	2.020	0.229	28	1.00	4000
1.102	0.059	157.480	2.973	0.337	28	1.50	4000
1.102	0.079	157.480	3.890	0.441	28	2.00	4000
1.102	0.118	157.480	5.610	0.636	28	3.00	4000
1.102	0.157	157.480	7.181	0.814	28	4.00	4000
1.181	0.039	157.480	2.169	0.246	30	1.00	4000
1.181	0.059	157.480	3.198	0.363	30	1.50	4000
1.181	0.079	157.480	4.189	0.475	30	2.00	4000
1.181	0.098	157.480	5.143	0.583	30	2.50	4000
1.181	0.118	157.480	6.059	0.687	30	3.00	4000
1.181	0.157	157.480	7.779	0.882	30	4.00	4000
1.260	0.039	157.480	2.319	0.263	32	1.00	4000
1.260	0.059	157.480	3.422	0.388	32	1.50	4000
1.260	0.079	157.480	4.488	0.509	32	2.00	4000
1.260	0.098	157.480	5.517	0.626	32	2.50	4000
1.260	0.118	157.480	6.508	0.738	32	3.00	4000
1.339	0.039	157.480	2.468	0.280	34	1.00	4000
1.339	0.059	157.480	3.647	0.414	34	1.50	4000
1.339	0.079	157.480	4.787	0.543	34	2.00	4000
1.339	0.098	157.480	5.891	0.668	34	2.50	4000
1.339	0.118	157.480	6.957	0.789	34	3.00	4000
1.339	0.138	157.480	7.985	0.905	34	3.50	4000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
1.339	0.157	157.480	8.976	1.018	34	4.00	4000
1.378	0.039	157.480	2.543	0.288	35	1.00	4000
1.378	0.059	157.480	3.759	0.426	35	1.50	4000
1.378	0.079	157.480	4.937	0.560	35	2.00	4000
1.378	0.098	157.480	6.078	0.689	35	2.50	4000
1.378	0.118	157.480	7.181	0.814	35	3.00	4000
1.378	0.157	157.480	9.275	1.052	35	4.00	4000
1.417	0.039	157.480	2.618	0.297	36	1.00	4000
1.417	0.059	157.480	3.871	0.439	36	1.50	4000
1.417	0.079	157.480	5.086	0.577	36	2.00	4000
1.417	0.157	157.480	9.575	1.086	36	4.00	4000
1.496	0.039	157.480	2.768	0.314	38	1.00	4000
1.496	0.059	157.480	4.095	0.464	38	1.50	4000
1.496	0.079	157.480	5.386	0.611	38	2.00	4000
1.496	0.118	157.480	7.854	0.891	38	3.00	4000
1.496	0.157	157.480	10.173	1.154	38	4.00	4000
1.535	0.039	157.480	2.842	0.322	39	1.00	4000
1.575	0.039	157.480	2.917	0.331	40	1.00	4000
1.575	0.059	157.480	4.320	0.490	40	1.50	4000
1.575	0.079	157.480	5.685	0.645	40	2.00	4000
1.575	0.098	157.480	7.013	0.795	40	2.50	4000
1.575	0.118	157.480	8.303	0.942	40	3.00	4000
1.575	0.157	157.480	10.771	1.221	40	4.00	4000
1.654	0.079	157.480	5.984	0.679	42	2.00	4000
1.654	0.118	157.480	8.752	0.992	42	3.00	4000
1.654	0.157	157.480	11.370	1.289	42	4.00	4000
1.693	0.118	98.425	5.610	1.018	43	3.00	2500

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
1.772	0.039	157.480	3.291	0.373	45	1.00	4000
1.772	0.079	157.480	6.433	0.729	45	2.00	4000
1.772	0.118	157.480	9.425	1.069	45	3.00	4000
1.772	0.157	157.480	12.267	1.391	45	4.00	4000
1.791	0.108	98.425	5.496	0.997	46	2.75	2500
1.890	0.079	157.480	6.882	0.780	48	2.00	4000
1.890	0.118	157.480	10.098	1.145	48	3.00	4000
1.890	0.157	157.480	13.165	1.493	48	4.00	4000
1.929	0.610	98.425	24.275	4.404	49	15.50	2500
1.929	0.276	98.425	13.745	2.494	49	7.00	2500
1.969	0.039	157.480	3.665	0.416	50	1.00	4000
1.969	0.059	157.480	5.442	0.617	50	1.50	4000
1.969	0.079	157.480	7.181	0.814	50	2.00	4000
1.969	0.098	157.480	8.883	1.007	50	2.50	4000
1.969	0.118	157.480	10.547	1.196	50	3.00	4000
1.969	0.157	157.480	13.763	1.561	50	4.00	4000
2.008	0.413	98.425	19.881	3.607	51	10.50	2500
2.047	0.079	157.480	7.480	0.848	52	2.00	4000
2.047	0.118	157.480	10.996	1.247	52	3.00	4000
2.165	0.079	157.480	7.929	0.899	55	2.00	4000
2.165	0.118	157.480	11.669	1.323	55	3.00	4000
2.165	0.591	116.535	33.212	5.089	55	15.00	2960
2.244	0.118	157.480	12.118	1.374	57	3.00	4000
2.303	0.522	98.425	28.030	5.086	59	13.25	2500
2.362	0.079	157.480	8.677	0.984	60	2.00	4000
2.362	0.118	157.480	12.791	1.450	60	3.00	4000
2.362	0.157	157.480	16.755	1.900	60	4.00	4000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
2.362	0.394	98.425	23.375	4.241	60	10.00	2500
2.441	0.551	98.425	31.416	5.700	62	14.00	2500
2.441	0.354	98.425	22.300	4.046	62	9.00	2500
2.559	0.118	157.480	13.913	1.578	65	3.00	4000
2.559	0.512	98.425	31.603	5.734	65	13.00	2500
2.559	0.217	98.425	15.299	2.776	65	5.50	2500
2.598	0.728	98.425	41.082	7.454	66	18.50	2500
2.677	0.177	98.425	13.359	2.424	68	4.50	2500
2.756	0.047	157.480	6.176	0.700	70	1.20	4000
2.756	0.079	157.480	10.173	1.154	70	2.00	4000
2.756	0.118	157.480	15.035	1.705	70	3.00	4000
2.756	0.157	157.480	19.747	2.239	70	4.00	4000
2.835	0.079	157.480	10.472	1.188	72	2.00	4000
2.835	0.886	98.425	52.069	9.447	72	22.50	2500
2.953	0.079	157.480	10.921	1.238	75	2.00	4000
2.953	0.118	157.480	16.157	1.832	75	3.00	4000
2.953	0.591	98.425	42.076	7.634	75	15.00	2500
2.992	0.079	157.480	11.071	1.255	76	2.00	4000
2.992	0.118	157.480	16.381	1.858	76	3.00	4000
2.992	0.157	157.480	21.543	2.443	76	4.00	4000
3.150	0.047	157.480	7.073	0.802	80	1.20	4000
3.150	0.079	157.480	11.669	1.323	80	2.00	4000
3.150	0.118	157.480	17.279	1.959	80	3.00	4000
3.150	0.157	157.480	22.740	2.579	80	4.00	4000
3.346	0.118	157.480	18.401	2.087	85	3.00	4000
3.346	0.256	157.480	38.167	4.328	85	6.50	4000
3.346	0.984	98.425	70.126	12.723	85	25.00	2500


Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
3.346	0.591	98.425	49.088	8.906	85	15.00	2500
3.504	0.197	236.220	47.125	3.563	89	5.00	6000
3.543	0.079	157.480	13.165	1.493	90	2.00	4000
3.543	0.118	157.480	19.523	2.214	90	3.00	4000
3.543	0.157	236.220	38.597	2.918	90	4.00	6000
3.543	0.197	236.220	47.686	3.605	90	5.00	6000
3.543	0.236	236.220	56.550	4.275	90	6.00	6000
3.740	0.197	236.220	50.491	3.817	95	5.00	6000
3.898	0.866	98.425	79.196	14.369	99	22.00	2500
3.937	0.079	236.220	21.992	1.663	100	2.00	6000
3.937	0.118	236.220	32.651	2.468	100	3.00	6000
3.937	0.157	236.220	43.085	3.257	100	4.00	6000
3.937	0.197	236.220	53.296	4.029	100	5.00	6000
4.016	0.118	236.220	33.324	2.519	102	3.00	6000
4.016	0.157	236.220	43.983	3.325	102	4.00	6000
4.016	0.197	236.220	54.418	4.114	102	5.00	6000
4.016	0.827	98.425	79.523	14.428	102	21.00	2500
4.134	0.197	236.220	56.101	4.241	105	5.00	6000
4.134	1.378	98.425	114.539	20.782	105	35.00	2500
4.252	0.118	236.220	35.344	2.672	108	3.00	6000
4.252	0.157	236.220	46.676	3.529	108	4.00	6000
4.252	0.315	236.220	89.761	6.786	108	8.00	6000
4.331	0.118	236.220	36.017	2.723	110	3.00	6000
4.331	0.157	236.220	47.573	3.596	110	4.00	6000
4.331	0.197	236.220	58.906	4.453	110	5.00	6000
4.528	0.197	236.220	61.711	4.665	115	5.00	6000
4.724	0.118	236.220	39.383	2.977	120	3.00	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
4.724	0.157	236.220	52.062	3.936	120	4.00	6000
4.724	0.197	236.220	64.516	4.877	120	5.00	6000
4.724	1.083	98.425	118.922	21.577	120	27.50	2500
4.921	0.118	236.220	41.066	3.105	125	3.00	6000
4.921	0.197	236.220	67.321	5.089	125	5.00	6000
4.921	0.787	98.425	98.176	17.813	125	20.00	2500
5.118	0.118	236.220	42.749	3.232	130	3.00	6000
5.118	0.197	236.220	70.126	5.301	130	5.00	6000
5.118	0.276	236.220	96.606	7.303	130	7.00	6000
5.315	0.197	236.220	72.931	5.513	135	5.00	6000
5.512	0.118	236.220	46.115	3.486	140	3.00	6000
5.512	0.197	236.220	75.736	5.726	140	5.00	6000
5.512	0.276	236.220	104.460	7.897	140	7.00	6000
5.748	0.118	236.220	48.134	3.639	146	3.00	6000
5.906	0.118	236.220	49.481	3.741	150	3.00	6000
5.906	0.197	236.220	81.346	6.150	150	5.00	6000
5.906	0.276	236.220	112.314	8.491	150	7.00	6000
5.906	0.827	98.425	126.648	22.979	150	21.00	2500
6.142	0.118	236.220	51.501	3.893	156	3.00	6000
6.299	0.118	236.220	52.847	3.995	160	3.00	6000
6.299	0.197	236.220	86.956	6.574	160	5.00	6000
6.299	0.276	236.220	120.168	9.085	160	7.00	6000
6.299	0.394	98.425	70.126	12.723	160	10.00	2500
6.693	0.118	236.220	56.213	4.250	170	3.00	6000
6.693	0.197	236.220	92.566	6.998	170	5.00	6000
7.000	0.071	236.220	35.545	2.687	178	1.80	6000
7.087	0.118	236.220	59.579	4.504	180	3.00	6000

Imperial Unit			Unit Weight		International Unit		
OD/in	Wall/in	Length/in	Lbs/FT	Kg/m	OD/mm	Wall/mm	Length/mm
7.087	0.197	236.220	98.176	7.422	180	5.00	6000
7.244	0.118	236.220	60.925	4.606	184	3.00	6000
7.283	0.157	236.220	81.234	6.141	185	4.00	6000
7.480	0.197	236.220	103.787	7.846	190	5.00	6000
7.559	0.236	157.480	83.478	9.466	192	6.00	4000
7.874	0.197	236.220	109.397	8.270	200	5.00	6000
8.386	0.236	236.220	139.354	10.535	213	6.00	6000
9.055	0.197	236.220	126.227	9.543	230	5.00	6000
9.055	0.354	236.220	223.169	16.871	230	9.00	6000
9.449	0.197	236.220	131.837	9.967	240	5.00	6000
9.843	0.197	236.220	137.447	10.391	250	5.00	6000
9.843	0.787	98.425	215.053	39.019	250	20.00	2500
10.354	0.236	236.220	173.015	13.080	263	6.00	6000
11.811	0.236	236.220	197.924	14.963	300	6.00	6000
12.323	0.236	157.480	137.784	15.624	313	6.00	4000
13.071	0.236	236.220	219.466	16.591	332	6.00	6000

- Standard aluminum pipe lengths are 2.5m, 3m, 4m, and 6m, with custom lengths up to 15m available.
- We offer cutting, punching, bending, and wall expansion services for all pipes.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

6065 T5 Aluminum square tube



Specs: EN755, ASTM B221, QQ-A-200/9


Imperial Unit			Unit Weight		International Unit		
A/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	Wall/mm	Length/mm
0.394	0.039	236.220	0.051	0.097	10	1	6000
0.591	0.039	236.220	0.080	0.151	15	1	6000
0.591	0.059	236.220	0.115	0.219	15	2	6000
0.591	0.079	236.220	0.148	0.281	15	2	6000
0.787	0.039	236.220	0.108	0.205	20	1	6000
0.787	0.059	236.220	0.158	0.300	20	2	6000
0.787	0.079	236.220	0.205	0.389	20	2	6000
0.787	0.118	236.220	0.290	0.551	20	3	6000
0.984	0.039	236.220	0.137	0.259	25	1	6000
0.984	0.047	236.220	0.163	0.308	25	1	6000
0.984	0.059	236.220	0.201	0.381	25	2	6000
0.984	0.079	236.220	0.262	0.497	25	2	6000
0.984	0.098	236.220	0.320	0.608	25	3	6000
0.984	0.118	236.220	0.376	0.713	25	3	6000
1.181	0.039	236.220	0.165	0.313	30	1	6000
1.181	0.059	236.220	0.243	0.462	30	2	6000
1.181	0.079	236.220	0.319	0.605	30	2	6000
1.181	0.098	236.220	0.391	0.743	30	3	6000
1.181	0.118	236.220	0.461	0.875	30	3	6000
1.260	0.118	236.220	0.495	0.940	32	3	6000
1.378	0.079	236.220	0.376	0.713	35	2	6000

Imperial Unit			Unit Weight		International Unit		
A/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	Wall/mm	Length/mm
1.496	0.059	236.220	0.312	0.591	38	2	6000
1.496	0.079	236.220	0.410	0.778	38	2	6000
1.575	0.039	236.220	0.222	0.421	40	1	6000
1.575	0.079	236.220	0.433	0.821	40	2	6000
1.575	0.098	236.220	0.534	1.013	40	3	6000
1.575	0.118	236.220	0.632	1.199	40	3	6000
1.575	0.157	236.220	0.820	1.555	40	4	6000
1.575	0.197	236.220	0.996	1.890	40	5	6000
1.969	0.039	236.220	0.279	0.529	50	1	6000
1.969	0.079	236.220	0.546	1.037	50	2	6000
1.969	0.098	236.220	0.676	1.283	50	3	6000
1.969	0.118	236.220	0.802	1.523	50	3	6000
1.969	0.157	236.220	1.047	1.987	50	4	6000
1.969	0.197	236.220	1.281	2.430	50	5	6000
2.362	0.079	236.220	0.660	1.253	60	2	6000
2.362	0.118	236.220	0.973	1.847	60	3	6000
2.362	0.157	236.220	1.275	2.419	60	4	6000
2.362	0.197	236.220	1.565	2.970	60	5	6000
2.756	0.118	236.220	1.144	2.171	70	3	6000
2.756	0.157	236.220	1.503	2.851	70	4	6000
2.756	0.197	236.220	1.850	3.510	70	5	6000
2.756	0.315	236.220	2.823	5.357	70	8	6000
3.150	0.059	236.220	0.670	1.272	80	2	6000
3.150	0.118	236.220	1.315	2.495	80	3	6000
3.150	0.157	236.220	1.730	3.283	80	4	6000
3.150	0.197	236.220	2.134	4.050	80	5	6000
3.150	0.315	236.220	3.278	6.221	80	8	6000

Imperial Unit			Unit Weight		International Unit		
A/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	Wall/mm	Length/mm
3.150	0.394	236.220	3.984	7.560	80	10	6000
3.543	0.118	236.220	1.485	2.819	90	3	6000
3.543	0.157	236.220	1.958	3.715	90	4	6000
3.543	0.197	236.220	2.419	4.590	90	5	6000
3.937	0.118	236.220	1.656	3.143	100	3	6000
3.937	0.157	236.220	2.186	4.147	100	4	6000
3.937	0.197	236.220	2.703	5.130	100	5	6000
3.937	0.236	236.220	3.210	6.091	100	6	6000
3.937	0.315	236.220	4.189	7.949	100	8	6000
3.937	0.394	157.480	5.122	9.720	100	10	4000
4.331	0.118	236.220	1.827	3.467	110	3	6000
4.724	0.118	236.220	1.998	3.791	120	3	6000
4.724	0.197	236.220	3.273	6.210	120	5	6000
4.724	0.236	236.220	3.893	7.387	120	6	6000
4.724	0.276	236.220	4.502	8.543	120	7	6000
5.276	0.236	236.220	4.371	8.294	134	6	6000
5.906	0.118	236.220	2.510	4.763	150	3	6000
5.906	0.236	157.480	4.917	9.331	150	6	4000
7.874	0.118	236.220	3.364	6.383	200	3	6000

- Standard aluminum pipe lengths are 2.5m, 3m, 4m, and 6m, with custom lengths up to 15m available.
- We offer cutting, punching, bending, and wall expansion services for all pipes.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.

6065 T5 Rectangular aluminum tube



Specs: EN755, ASTM B221, QQ-A-200/9

Imperial Unit				Unit Weight		International Unit			
A/in	B/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Wall/mm	Length/mm
0.591	1.181	0.039	236.220	0.080	0.232	15	30	1	6000
0.787	1.181	0.039	236.220	0.108	0.259	20	30	1	6000
0.787	1.181	0.079	236.220	0.205	0.497	20	30	2	6000
0.787	1.181	0.118	236.220	0.290	0.713	20	30	3	6000
0.787	1.575	0.079	236.220	0.205	0.605	20	40	2	6000
0.787	1.575	0.098	236.220	0.249	0.743	20	40	3	6000
0.787	1.575	0.118	236.220	0.290	0.875	20	40	3	6000
0.787	1.969	0.079	236.220	0.205	0.713	20	50	2	6000
0.787	1.969	0.098	236.220	0.249	0.878	20	50	3	6000
0.984	1.378	0.079	236.220	0.262	0.605	25	35	2	6000
0.984	1.496	0.039	236.220	0.137	0.329	25	38	1	6000
0.984	1.496	0.079	236.220	0.262	0.637	25	38	2	6000
0.984	1.575	0.079	236.220	0.262	0.659	25	40	2	6000
0.984	1.575	0.118	236.220	0.376	0.956	25	40	3	6000
0.984	1.969	0.059	236.220	0.201	0.583	25	50	2	6000
0.984	1.969	0.079	236.220	0.262	0.767	25	50	2	6000
0.984	1.969	0.098	236.220	0.320	0.945	25	50	3	6000
0.984	1.969	0.118	236.220	0.376	1.118	25	50	3	6000
0.984	2.992	0.039	236.220	0.137	0.535	25	76	1	6000
0.984	3.150	0.039	236.220	0.137	0.556	25	80	1	6000
0.984	3.937	0.039	236.220	0.137	0.664	25	100	1	6000

Imperial Unit				Unit Weight		International Unit			
A/in	B/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Wall/mm	Length/mm
1.181	1.575	0.079	236.220	0.319	0.713	30	40	2	6000
1.181	1.575	0.118	236.220	0.461	1.037	30	40	3	6000
1.181	1.575	0.157	236.220	0.592	1.339	30	40	4	6000
1.181	1.969	0.079	236.220	0.319	0.821	30	50	2	6000
1.181	1.969	0.098	236.220	0.391	1.013	30	50	3	6000
1.181	1.969	0.118	236.220	0.461	1.199	30	50	3	6000
1.181	1.969	0.138	236.220	0.528	1.380	30	50	4	6000
1.181	1.969	0.157	236.220	0.592	1.555	30	50	4	6000
1.181	2.362	0.079	236.220	0.319	0.929	30	60	2	6000
1.181	2.362	0.118	236.220	0.461	1.361	30	60	3	6000
1.181	2.362	0.157	236.220	0.592	1.771	30	60	4	6000
1.378	1.969	0.098	236.220	0.462	1.080	35	50	3	6000
1.496	1.969	0.039	236.220	0.211	0.464	38	50	1	6000
1.575	1.969	0.079	236.220	0.433	0.929	40	50	2	6000
1.575	1.969	0.118	236.220	0.632	1.361	40	50	3	6000
1.575	1.969	0.157	236.220	0.820	1.771	40	50	4	6000
1.575	2.362	0.079	236.220	0.433	1.037	40	60	2	6000
1.575	2.362	0.118	236.220	0.632	1.523	40	60	3	6000
1.575	2.362	0.157	236.220	0.820	1.987	40	60	4	6000
1.575	2.362	0.197	236.220	0.996	2.430	40	60	5	6000
1.575	2.756	0.157	236.220	0.820	2.203	40	70	4	6000
1.575	3.150	0.118	236.220	0.632	1.847	40	80	3	6000
1.575	3.150	0.157	236.220	0.820	2.419	40	80	4	6000
1.575	3.937	0.079	236.220	0.433	1.469	40	100	2	6000
1.575	7.874	0.118	236.220	0.632	3.791	40	200	3	6000
1.732	2.992	0.039	236.220	0.245	0.637	44	76	1	6000
1.732	2.992	0.079	236.220	0.478	1.253	44	76	2	6000

Imperial Unit				Unit Weight		International Unit			
A/in	B/in	Wall/in	Length/in	Lbs/FT	Kg/m	A/mm	B/mm	Wall/mm	Length/mm
1.732	2.992	0.118	236.220	0.700	1.847	44	76	3	6000
1.732	3.937	0.118	236.220	0.700	2.236	44	100	3	6000
1.969	2.756	0.118	236.220	0.802	1.847	50	70	3	6000
1.969	2.756	0.197	236.220	1.281	2.970	50	70	5	6000
1.969	3.150	0.059	236.220	0.414	1.029	50	80	2	6000
1.969	3.937	0.039	236.220	0.279	0.799	50	100	1	6000
1.969	3.937	0.079	236.220	0.546	1.577	50	100	2	6000
1.969	3.937	0.118	236.220	0.802	2.333	50	100	3	6000
1.969	3.937	0.157	236.220	1.047	3.067	50	100	4	6000
1.969	3.937	0.197	236.220	1.281	3.780	50	100	5	6000
1.969	5.906	0.118	236.220	0.802	3.143	50	150	3	6000
1.969	9.843	0.157	236.220	1.047	6.307	50	250	4	6000
2.362	3.150	0.118	236.220	0.973	2.171	60	80	3	6000
2.362	3.150	0.157	236.220	1.275	2.851	60	80	4	6000
2.362	3.150	0.197	236.220	1.565	3.510	60	80	5	6000
2.362	4.724	0.157	236.220	1.275	3.715	60	120	4	6000
2.362	4.724	0.197	236.220	1.565	4.590	60	120	5	6000
2.362	7.874	0.118	236.220	0.973	4.115	60	200	3	6000
2.362	9.843	0.157	236.220	1.275	6.523	60	250	4	6000
3.150	3.937	0.197	236.220	2.134	4.590	80	100	5	6000
3.937	5.906	0.118	236.220	1.656	3.953	100	150	3	6000
3.937	5.906	0.276	236.220	3.705	8.921	100	150	7	6000
3.937	7.874	0.118	236.220	1.656	4.763	100	200	3	6000
3.937	7.874	0.197	236.220	2.703	7.830	100	200	5	6000
3.937	7.874	0.236	236.220	3.210	9.331	100	200	6	6000
3.937	11.811	0.142	236.220	1.975	7.636	100	300	4	6000
7.874	11.811	0.157	236.220	4.462	10.627	200	300	4	6000

- Standard aluminum pipe lengths are 2.5m, 3m, 4m, and 6m, with custom lengths up to 15m available.
- We offer cutting, punching, bending, and wall expansion services for all pipes.
- All stock products are available for retail, and orders will be processed and shipped within one week.
- As a one-stop aluminum supplier, we offer discounts for bulk purchases.
- All stock weights are density-based estimates and may differ from actual weights.



Welcome to contact us!

+86 173 4489 4490

sale@chalcoaluminum.com

No. 89, Science Avenue, Zhengzhou
High-Tech Zone, Henan, China